


## Art. 611 Galvanised threaded rod and pin



### Technical specifications and advantages

- Made with steel according to DIN 976-1
- Galvanised

| Code   | Measurements Ø x Length [mm] | Codice | Measurements Ø x Length [mm] |
|--------|------------------------------|--------|------------------------------|
| 611006 | M6 x 1000                    | 611825 | M8 x 25                      |
| 611008 | M8 x 1000                    | 611840 | M8 x 40                      |
| 611208 | M8 x 2000                    | 611800 | M8 x 100                     |
| 611308 | M8 x 3000                    | 611025 | M10 x 25                     |
| 611010 | M10 x 1000                   | 611040 | M10 x 40                     |
| 611210 | M10 X 2000                   | 611000 | M10 x100                     |
| 611310 | M10 x 3000                   |        |                              |
| 611012 | M12 x 1000                   |        |                              |
| 611212 | M12 x 2000                   |        |                              |
| 611312 | M12 x 3000                   |        |                              |
| 611016 | M16 x 1000                   |        |                              |
| 611216 | M16 x 2000                   |        |                              |

## Art. 612 Galvanised socket for rod connection



### Technical specifications and advantages

- Material: galvanised steel

| Code   | Measurements Ø | Length [mm] | Wrench [mm] |
|--------|----------------|-------------|-------------|
| 612006 | M6             | 25          | 10          |
| 612008 | M8             | 30          | 11          |
| 612010 | M10            | 30          | 13          |
| 612012 | M12            | 40          | 17          |
| 612016 | M16            | 48          | 24          |
| 612020 | M20            | 60          | 30          |
| 612810 | M8/M10         | 25          | 13          |

